



Azip[®]

LUBRICANTS & GREASES

AN ISO : 9001-2015 CERTIFIED CO.



CATALOGUE

ASIA PACIFIC AUTOMOTIVE LUBRICANTS



INDIA

- ENGINE OIL • GEAR OIL • HYDRAULIC OIL • EV FLUID • COOLANT • BRAKE OIL • GREASE
- INDIA • SINGAPORE • NEPAL • BHUTAN • BANGLADESH • SRI LANKA

A Technology From

SINGAPORE



Email : info@aziplubricants.com | Visit us : www.aziplubricants.com | Toll free : 1800 121 0630

COMPANY PROFILE

Azip Lubricants is a lubricants manufacturer producing high quality, well engineered lubricant products. Headquartered in Singapore, our team of professionals serve our customers in the world. Products are manufactured in our Lube Oil Blending Plant which is designed with flexibility to customize to customer requirements and we are equipped with a modern laboratory for quality assurance. Our services include customer, technical & logistics support, formulation development and laboratory analysis. Supported by a laboratory of R & D in constant evolution for the development of new products. In addition, it has the latest certificates in terms of quality and its products of competition have the approval of the highest bodies, such as the norms JASO. With the launch of the new generation products, we have completed an extensive catalog of lubricants and maintenance products that allows us to reach the following markets.

The popular worldwide brand Azip, produced in the heart of the motorcycling world, Singapore, has many years of experience and research into making some of the finest lubricants available today.

Azip Lubricants sells its products directly and through independent sales representatives in the India and exclusive distributors throughout the world.

Azip Lubricants market is specialized synthetic lubricants for the industrial and automotive market. While it competes with the major oil companies, these companies refine mainly for gasoline and other fuels with lubrication products produced only as a refining by product.

Azip Lubricants is not a fuel producer but exists solely for specialization of lubrication technology and has developed leading expertise over many years of intensive research and development.

Azip Lubricants knowledge and experience of and has the proper ways to formulate lubricants represent the latest state-of-art in lubrication technology. The product line includes more than different lubricants which vary from high temperature lubes to cryogenic oils and greases.

Azip Lubricants virtually has a lubricant for any application and prides itself on quality, performance and is dedicated to its customers.

Azip Lubricants has reputation for high quality products, meticulous quality control/assurance programs, and quick responses to the market and the individual customer's specialized needs.

Azip Lubricants management is highly experienced in lubrication products.

VISION

An international lubricant brand with a reputation for Performance, Value and Reliability

MISSION

- **Our Products:** To provide high performance, value-for-money and reliable products
- **Our Sales:** To increase sales from satisfied customers
- **Our Services:** To customize services to meet customers' needs
- **Our People:** To lead the organization with a competent and responsive management team

VALUES AND PHILOSOPHY

We believe in Reliably providing our customers with good performance products at a price Level considered as 'Value for Money'. With today's technology developing rapidly requiring engineering performing lubricants, We are committed to meet industry demands with a range of products that is technology led. Giving our customers 'Value for Money' continues to be our company's core value. This enables our customers to be more competitive using the full set of benefits from our competitively priced products. In addition to producing our range of Azip brand of lubricants, we also provide contract blending services for private labels and supply high quality base oils and additives to our associates. We believe that more important to this hardware is our people who are responsive to our customer needs and are willing to customize our services. We believe in strong win-win partnerships with our suppliers and customers. We are committed to creating for our staff a working environment that improves continuously and is innovative.

Toll free : 1800 121 0630

Email : info@aziplubricants.com | Visit us: www.aziplubricants.com

COMPANY STRENGTHS

- **Innovation** - Always on the lookout for emerging technologies and new materials to stay ahead.
- **Continuous Improvement** - Dedicated to R & D.
- **Flexibility** - Prompt & responsive in meeting customer needs.
- **Form Alliance with Customers** - Understand and work with customers to provide customized services.
- **High Quality Standards of Products & Services** - Decrease downtime, extend life of major capital assets and reduce cost associated with heavy fleet and equipment maintenance.
- **Total Customer Support** - Experience team of professionals offering product selection, product knowledge, training and logistics support.

PRACTICAL GUIDE TO OIL ANALYSIS

The practice of oil analysis has drastically changed from its original inception in the railroad industry. In today's computer and information age, oil analysis has evolved into a mandatory tool in your reliability-centered maintenance program. As a predictive maintenance tool, oil analysis is used to uncover, isolate and offer solutions for abnormal lubricant and machine conditions. These abnormalities, if left unchecked, usually result in extensive, sometimes catastrophic damage causing lost production, extensive repair costs, and even operator accidents. The goal of a world-class oil analysis program is to increase the reliability and availability of your machinery, while minimizing maintenance costs associated with oil change-out, labor, repairs, and downtime. Accomplishing your goal takes time, training and patience. However, the results are dramatic and the documented savings in cost avoidance are significant! We have seen savings of up to 35 or 40 % in savings for less use of spare parts.

WHY ANALYZE USED LUBRICANTS?

There are three aspects of oil analysis: Lubricant Condition, Contaminants and Machine Wear. Let see each one of them.

- **Lubricant Condition:** The assessment of the lubricant condition reveals whether the system fluid is healthy and fit for further service, or is ready for a change.
- **Contaminants:** Increased contaminants from the surrounding environment in the form of dirt, water and process contamination are the leading cause of machine degradation and failure.

Increased contamination alerts you to take action in order to save the oil and avoid unnecessary machine wear.

- **Machine Wear:** An unhealthy machine generates wear particles at an exponential rate. The detection and analysis of these particles assist in making critical maintenance decisions. Remember, healthy and clean oil lead to the minimization of machine wear.

WHAT ARE LUBRICANTS?

Industrial oils are specially designed fluids composed of base oil and a compliment of additives. The **Base Oil** performs the following functions:

- Form a fluid film between moving parts in order to reduce friction and wear.
- Carry away contaminants to the filter.
- Remove heat generated within the machine.

Additives are chemical compounds added to the base oil to significantly enhance the performance characteristics of the lubricant oil or to reduce the negative ones. Typical enhanced properties include:

- Oxidation stability.
- Wear protection.
- Corrosion inhibition.

Toll free : 1800 121 0630

Email : info@aziplubricants.com | Visit us: www.aziplubricants.com

FUNCTIONS OF A LUBRICANT?

It goes from cooling to cleaning to lubricating it is the absolute key to keeping your equipment running. Let's see how it does it:

- **Lubricate:** By introducing a film between moving parts, opposing friction surfaces are separated and allowed to move freely without any interlocking of the asperities at the metal surface. By physically separating the moving parts, friction is greatly reduced. The result is less wear generated and less energy required to perform the work.
- **Cool:** Lubricants absorb the heat generated at the friction surface and carry it away to a reservoir where it is allowed to cool before returning to service. Oil coolers and heat exchangers are sometime used to more efficiently disperse heat. Lubricants are an excellent dissipater of heat.
- **Clean:** Oil picks up solid contaminants and moves them away from the contact zone. The contaminants can then be removed by filtration or settling in the reservoir. Many oils have detergent characteristics to hold tiny dirt and soot particles in suspension and help prevent sludge and varnish in a system.
- **Protect:** Lubricants coat component surfaces providing a barrier against moisture. The presence of moisture in the air causes oxidation, eventually leading to corrosion. Rust occurs when steel surfaces are attacked by moisture. Corrosion occurs when a metal surface is attacked by acids, a byproduct of oxidation. Oils can be fortified with alkaline reserves to counter the corrosive contaminants.
- **Seal:** Many lubricants form a viscous seal to keep contaminants out of a component. Greases form physical barriers to protect against dirt and water ingress.
- **Transmit Power:** Hydraulic systems use lubricants to protect sliding, contacting surfaces and as a source of fluid power. Fluid under pressure actuates moving parts.

WE ARE SPECIALISTS WITH THE WIDEST RANGE

To satisfy the demands of a wide range of transportation & industry, Azip Lubricants offers a comprehensive range of lubricant products that performed consistently at the highest level.

PREMIUM RANGE

To meet the demands for racing and extreme applications, we formulate this range with the most advanced components & latest technology. The range uses synthetic base oils which has naturally high viscosity index & superior thermo-stability and meet highest API (American Petroleum Institute).

PASSENGER CAR MOTOR OILS

Our wide range of products has the formulation for your car engine lubrication needs. We have Synthetic Oils (, Synthetic Blends and products from mineral oils meeting the Highest API Standards to give you the right balance between performance and value.

DIESEL ENGINE OILS

Fuel economy, low emissions & extended drain capability are key performance features of our range of lubrication products for the diesel engines. We have Synthetic Oils , Synthetic Blends and blends from Hydro cracked Base Oils and products from mineral oils meeting the highest API Standards to give you value and reliability which are important to your business.

MOTORCYCLES OILS

Our passion for motorcycles has developed a range of products that makes your machine more exciting. Our wide product range are specially formulated for various engine requirements with Synthetic and group 2 Hydro cracked Base Oil blends. We have the right product for your large touring motorbike, performance racers & scooters such as Motor bikes.

GEAR/ TRANSMISSION ATF OIL

Our range of Gear Oils gives you high efficiency and enhanced wear protection for long life. We are also reputed to be a specialist on Automatic Transmission Fluids (ATF) with the widest range. Our products are tailored to your specific transmission needs whether it is Dual Clutch, CVT, MV High or Low.

SPECIALITIES OILS

Coolants, Anti-Freeze, Brake Fluids Chain Lube & Oil Treatment After-Market range of products

GREASES

To satisfy the demands of a wide range of industries, Azip Lubricants offers a comprehensive line of greases for wet & dusty conditions, long life, high-temperature service, severe conditions with shock & heavy loads.

Toll free : 1800 121 0630

Email : info@aziplubricants.com | Visit us: www.aziplubricants.com

INDEX

4 STROKE ENGINE OIL

- SYNTHETIC 4T
- ECO 4T
- SUPREME 4T
- RIDE 4T
- PRIDE EDGE
- SYNTH POWER 4T
- SHOCKER OIL
- ROYAL 4T
- 2T RACING



DIESEL ENGINE OIL

- TURBO MAX
- TURBO SUPER
- DIESEL SUPER
- TRACTOR RAKSHAK
- VISCO SUPER
- PUMP SET OIL



GEAR OIL

- HYPOID GEAR 80W90
- HYPOID GEAR 85W140
- HYPOID GEAR 75W90
- GEAR TECH EP-90
- GEAR TECH EP-140
- UTTO
- TRANSMISSION OIL



SPECIALITIES OIL

- HYDRAULIC OIL AW
- BRAKE FLUID
- COOLANT (RTU)
- HD COOLANT
- CHAIN LUBE
- OIL TREATMENT
- ULTRA SHINE



PASSANGER CAR OIL

- MAGNATE SUPER
- MAGNATE SUV
- MGO
- CNG SPECIAL
- GASOLINE SUPER



GREASE

- RED GEL GREASE
- AP-3 GREASE
- LONG RUN GREASE
- WHEEL BEARING GREASE
- CHASSIS GREASE



4 STROKE ENGINE OIL

SYNTHETIC 4T 10W-40



API-SN

900ML, 1L, 50L, 210L

Synthetic performance 4-stroke motorcycle oil, AZIP Synthetic 4T is a high performance 4-stroke Engine Oil developed specially to meet the special Hero, Honda, Bajaj, TVS, Yamaha Motorcycle etc.



ECO 4T 20W-40



API-SM

900ML, 1L, 50L, 210L

ECO 4-stroke motorcycle oil, AZIP ECO 4T is a high performance 4-stroke Engine Oil developed specially to meet the special Hero, Honda, Bajaj, TVS, Yamaha Motorcycle etc.



RIDE 4T 20W-50



API-SL

900ML, 1L, 50L, 210L

High performance 4-stroke motorcycle oil, AZIP Ride 4T is a high performance 4-stroke Engine oil developed specially to meet the special Hero, Honda, Bajaj, TVS, Yamaha Motorcycle etc.



Toll free : 1800 121 0630

Email : info@aziplubricants.com | Visit us: www.aziplubricants.com

4 STROKE ENGINE OIL

SYNTH POWER 4T 10W-30



API-SL

800ML, 900ML, 1L, 50L, 210L

SYNTH POWER 4T 10W-30 oil specially formulated for high speed air-cooled and liquid cooled engines of new generation motorcycles. It is blended from superior quality base stocks and specially formulated. Recommendation meet Hero , Honda , TVS, Bajaj, Yamaha, KTM etc.



SUPREME 4T 20W-40



API-SL

500ML, 900ML, 1L, 50L, 210L

High performance 4-stroke motorcycle oil, AZIP supreme 4T is a high performance 4-stroke Engine oil developed specially to meet the special Hero, Honda, Bajaj, TVS, Yamaha Motorcycle etc.



PRIDE EDGE 20W-40



API SJ/CF

900ML, 1L, 26L, 50L, 210L

Azip PRIDE EDGE 20W-40 high quality lubricating oils specially developed for use in all types of for high output normally-aspirated diesel engines operating under very severe duty or which are subject to deposit formation or excessive wear due to design characteristics or to the fuel employed.



Toll free : 1800 121 0630

Email : info@aziplubricants.com | Visit us: www.aziplubricants.com

4 STROKE ENGINE OIL

ROYAL 4T 15W-50



API-SM/SN

2.5L, 50L, 210L

Azip Royal 4T 15W-50 is a premium quality motor cycle engine oil made to cater to the highly demanding lubrication requirements of modern 4-Stroke geared bike. Azip Royal 4T 15W-50 is manufactured from the finest Group II base stocks and state of the art additive technology to meet the most stringent requirements of API SM/SN as well as JASO MA 2 specifications. Azip Royal 4T 15W-50 provides superior protection for engine, clutch and gears of the high powered Motor Cycles, especially those with engine displacement of 350 cc and above. The product helps you to derive the best performance from your bike all the time, while ensuring high engine durability.

SHOCKER OIL



SUPER HEAVY DUTY

175ML, 210L

Azip Shocker Oil are a blend of carefully selected paraffinic base oils and extremely effective inhibitor additives designed for use in a wide variety of motorcycles and for different applications and climatic conditions. As the different motorcycle manufacturers require specific viscosities for the fork oils, The very low pour point and high viscosity index contributes to the excellent performance of these oils over a very wide temperature range from freezing cold winter to very hot summer.

2T RACING



API-TC

500ML, 1L, 210L

AZIP 2T is a new generation semi-synthetic, extremely low smoke, environmentally friendly two stroke engine oil. It is blended from highly refined mineral base oils, special synthetic base fluid and fortified with finely balanced low ash additives.



Toll free : 1800 121 0630

Email : info@aziplubricants.com | Visit us: www.aziplubricants.com

DIESEL ENGINE OIL

TURBO MAX 15W-40



API-CI4+

1L, 3L, 3.5L, 5L, 6L, 7L, 7.5L, 8.5L, 10L, 15L, 50L, 210L

AZIP TURBO MAX is a premium quality multi-grade diesel engine oil designed to provide excellent engine lubrication in turbo-charged as well as naturally aspirated diesel engines. Formulated with highly hydro processed base oils and carefully selected additive chemistry, AZIP TURBO MAX is designed to provide exceptional viscosity/ temperature characteristics, superior TBN retentivity and high soot dispersancy required for turbo-charged engines.

Recommended for use TATA MOTOR, ASHOK LEYLAND, EICHER, ISUZU, MAHINDRA & MAHINDRA, ESCORT, TAFE, SONALIKA, AMW, SWARAJ, FORCE MOTORS etc.

TURBO SUPER 15W-40



API-CH4

500ML, 1L, 1.2L, 2.5L, 3L, 3.5L, 5L, 6L, 7L, 7.5L, 8.5L, 10L, 13L, 15L, 20L, 50L, 210L

AZIP TURBO SUPER CH4 15W40 is a diesel engine oil which meets international specifications for top performance and long service life in turbo-charged and normally aspirated diesel engines. AZIP TURBO SUPER CH4 15W40 is specifically designed to meet the performance levels required for the new generation of cooled EGR Engines. It is uniquely formulated to promote the highest standards of engine cleanliness in modern highly stressed turbo charged engines.

Recommended for use TATA MOTOR, ASHOK LEYLAND, EICHER, ISUZU, MAHINDRA & MAHINDRA, ESCORT, TAFE, SONALIKA, AMW, SWARAJ, FORCE MOTORS etc.

DESIGNED FOR COMPLETE PROTECTION



CLEANER PISTONS

Keeps pistons cleaner than the toughest industry standards.



BETTER FUEL ECONOMY

Drive on average an extra km per year vs. a dirty engine



PROTECTS HORSEPOWER

Helps protect engines from loss of power



UNSURPASSED WEAR PROTECTION

No other leading motor oil provides better protection from friction



EXCELLENT PERFORMANCE IN EXTREME TEMPERATURES

In extreme temperatures: Provides faster low temperature oil flow and protects in extreme heat.

Toll free : 1800 121 0630

Email : info@aziplubricants.com | Visit us : www.aziplubricants.com

DIESEL ENGINE OIL

DIESEL SUPER 20W-40



API-CH4

1L, 3L, 3.5L, 5L, 6L, 7.5L, 10L, 20L, 50L, 210L

AZIP DIESEL SUPER is premium multigrade Diesel Engine Oil. 20W40 CH4 is recommended by AZIP for use in all naturally aspirated diesel engines fitted in trucks, tractors, buses, passenger car, goods carrier (LCVs), off highway equipment, 3-wheelers, Gensets and agricultural equipments.

Recommended for use MARUTI SUZUKI, HYUNDAI, TATA, EICHER, ISUZU, MAHINDRA & MAHINDRA, ESCORT, TAFE, SONALIKA, AMW, SWARAJ, FORCE MOTORS etc.

TRACTOR RAKSHAK 20W-40



API-CF4

1L, 5L, 6L, 7.5L, 8.5L, 10L, 13L, 50L, 210L

AZIP Tractor Rakshak 20W-40 is a high-performance multigrade diesel engine oil. Manufactured from high-quality base oils, it provides superior protection by reducing friction between moving engine parts. Its Advanced Additive Technology fights acid formation to protect vital engine components from corrosion, resulting in longer engine life.

Recommended for use - Tata Motors, Ashok Leyland, Tata, Eicher / LCVs -Swaraj Mazda, Tractors New Holland, SAME Greaves, L&T, John Deere, Sonalika, Mahindra, TAFE, Escorts etc.



Toll free : 1800 121 0630

Email : info@aziplubricants.com | Visit us : www.aziplubricants.com

DIESEL ENGINE OIL

VISCO SUPER 20W-50



API-CF4

6L, 7.5L, 8.5L, 10L, 50L, 210L

AZIP VISCO SUPER 20W-50 are multigrade engine oils made from high quality base stocks and additives. They are available in 20W-50 viscometrics.

Features and Benefits

- Outstanding engine cleanliness.
- High oxidation stability.
- Improved wear protection & extended engine life.
- Improved fuel economy.

Recommended for use MARUTI SUZUKI, HYUNDAI, TATA, EICHER, ISUZU, MAHINDRA & MAHINDRA, ESCORT, TAFE, SONALIKA, AMW, SWARAJ, FORD, FORCE MOTORS etc.

PUMP SET OIL 20W-40



API-CF

1L, 1.2L, 1.5L, 2L, 3.5L, 4L, 5L, 210L

AZIP pump set oil is heavy duty pump set oils Manufactured from highly refined based oils. It has special additive to provide anti-corrosion protection to Engine internals during ideal periods. This Engine oils is designed for both compression ignition and Spark- ignition type engines. It is proprietary Branded product.

AZIP pump set oil is recommended for all types of pump- sets. The product is also suitable For other Agriculture and farm equipment like tractor, power tillers, harvesters etc.

Toll free : 1800 121 0630

Email : info@aziplubricants.com | Visit us: www.aziplubricants.com

GEAR OIL

HYPOID GEAR 80W-90



API-GL5

1L, 2.5L, 5L, 7L, 10L, 26L, 50L, 210L

AZIP GEAR OIL 80W 90 is a premium quality extreme pressure multi-grade gear oil blended from highly solvent refined base stocks and fortified with carefully selected extreme pressure additives package to provide unmatched extreme pressure protection, anti-rust, anti-corrosion and anti-oxidation properties. AZIP GEAR OIL 80W 90 is a multi-purpose gear lubricant for automotive applications designed to provide optimum benefits in the demanding mechanical transmissions, axles and gear boxes of heavy commercial vehicles, light commercial vehicles and passenger cars.

HYPOID GEAR 85W-140



API-GL5

1L, 5L, 7L, 10L, 12L, 26L, 50L, 210L

AZIP GEAR OIL 85W-140 grade is a premium quality extreme pressure type multi-grade automotive gear oil specifically designed to address the requirements of gears, particularly hypoid gears in passenger cars and other automotive equipment operated under high-speed, shock-load high-speed, low-torque and low-speed, high-torque conditions.

- Good Extreme Pressure and Antiwear properties protect against wear and scoring.
- Effective rust and corrosion protection reduces wear and extends component life.

HYPOID GEAR 75W-90



API-GL5

2.5L, 50L, 210L

AZIP HYPOID GEAR 75-W90 GL5 synthetic technology base transmission oil. Ensures exact friction behavior and provides outstanding ageing resistance. Even under the most difficult conditions and during large temperature fluctuations, it ensures flawless aggregate functioning. Greatest lubrication security, maximum wear protection through large viscosity bandwidth. Facilitates easy shifting and smoothest running.

Performance benefits:

- Smooth gear-shifting performance.
- Longer oil and component life.
- Permits operation across broad temperature range.

Toll free : 1800 121 0630

Email : info@aziplubricants.com | Visit us: www.aziplubricants.com

GEAR OIL

GEAR TECH EP-90



API-GL4

500ML, 1L, 2L, 5L, 10L, 26L, 50L, 210L

AZIP Gear EP is a high performance gear lubricant designed to provide effective lubrication in a wide range of automotive transmissions and axle drives where API GL-4 quality oils are specified. It is formulated from high quality base stocks and balanced extreme pressure additives to provide protection to gear components against wear and scoring. It offers protection against oxidation degradation and rust & corrosion.

Performance benefits:

- Permits operation across broad temperature range.
- Smooth gear-shifting performance.
- Longer oil and component life.

GEAR TECH EP-140




API-GL4

500ML, 1L, 2L, 5L, 10L, 20L, 26L, 50L, 210L

AZIP Gear EP is a high performance gear lubricant designed to provide effective lubrication in a wide range of automotive transmissions and axle drives where API GL-4 quality oils are specified. It is formulated from high quality base stocks and balanced extreme pressure additives to provide protection to gear components against wear and scoring. It offers protection against oxidation degradation and rust & corrosion.

Performance benefits:

- Permits operation across broad temperature range.
- Smooth gear-shifting performance.
- Longer oil and component life.



GEAR OIL

UTTO



20W

5L, 10L, 26L, 50L, 210L

AZIP Universal Tractor Transmission Oil is a high performance fluid specially formulated with robust anti-wear & extreme pressure additives for use in Tractors and Off-road construction and mining equipment where a common lubricant reservoir serves transmissions, final drives & hydraulic systems and requires such type of fluid.

Recommended for use
EICHER, ISUZU, MAHINDRA & MAHINDRA, ESCORT, TAFE, SONALIKA, AMW, SWARAJ, HMT, MASSEY, NEW HOLLAND, FORD, JOHN DEERE etc.


TRANSMISSION OIL



DEX III H / MERC

500ML, 1L, 5L, 20L, 50L, 210L

AZIP ATF DEX III H / MERC is an automatic transmission fluid developed for the automatic transmissions and power steering systems of vehicles specifying use of General Motors DEX III H / MERC quality fluids. The highly refined base oils and proven performance additives used in this oil provide enhanced thermal stability, frictional characteristics and rust & corrosion protection. It exceeds the performance requirements of General Motors.



SPECIALITIES OIL

HYDRAULIC OIL AW-32/46/68



ANTI-WEAR

1L, 5L, 10L, 26L, 50L, 210L

AZIP high performance hydraulic oils have been developed to operate under moderate to severe conditions across a wide range of industrial & automotive applications. They are well known to protect, lubricate and perform in the most efficient and effective way to ensure smooth operation and long service life of the hydraulic systems.

Recommended for use
JCB, L&T, TATA, HITACHI, ESCORTS, ACE etc.



HYDRAULIC OIL ISO VG 32/46/68



ISO VG / WATER WHITE

26L, 50L, 210L

AZIP high performance hydraulic oils have been developed to operate under moderate to severe conditions across a wide range of industrial & automotive applications. They are well known to protect, lubricate and perform in the most efficient and effective way to ensure smooth operation and long service life of the hydraulic systems.

Recommended for use
JCB, L&T, TATA, HITACHI, ESCORTS, ACE etc.



Toll free : 1800 121 0630

Email : info@aziplubricants.com | Visit us: www.aziplubricants.com

SPECIALITIES OIL

BRAKE FLUID



DOT-4

100ML, 250ML, 210L

Azip HD Brake Fluid DOT 4 is extra high performance poly glycol based brake fluid developed for superior braking performance in a wide range of vehicles including those operating at higher temperatures. It contains oxidation and corrosion inhibitors to resist oxidation at the high temperatures encountered in the disc braking systems and to provide superior protection against corrosion of metallic components of the brake system.



COOLANT (RTU)



READY TO USE

500ML, 1L, 5L, 210L

AZIP Coolant is a ready to use automotive radiator coolant. The carboxylate formulation has a service life, RTU Coolant protects modern engine components from winter freezing and summer boiling. AZIP is a ready to use radiator coolant with superior anti freeze & anti corrosive properties. AZIP Coolant can be directly poured in the radiators of automobiles as it is in ready to use form.



HD COOLANT



CONCENTRATE 1:3

1L, 5L, 210L

AZIP Heavy Duty Coolant is a new generation Radiator Coolant and Corrosion Inhibitor, specifically developed for IC Engines running in warm climate, thus not requiring Anti-freeze properties. Unlike the conventional anti-freeze radiator coolants, AZIP Heavy Duty Coolant is based on Organic Acid Technology and hence, it has the potency of a prolonged service life.



SPECIALITIES OIL

CHAIN LUBE SPRAY



O|X|Z RING 150ML

Azip Chain Lube spray is a multi-purpose lubricant excelling in penetrability into gaps between chain pins and bushes, lubricity and corrosion protection performance. The lubricant is applicable to metallic chains of cars, forklift trucks, motorcycles and farm equipment.



OIL TREATMENT



CONCENTRATED 50ML

Azip Oil Treatment can do wonders to your two wheeler as it provides proper treatment to the engine and reduces friction and unnecessary noise. Azip Oil Treatment premium quality detergent motor oils are available in mono-grade and multi-grade viscosity. They are highly refined general-purpose oils for petrol engines that make your two wheeler run smoothly on the road.



ULTRA SHINE



POLISH Sponge

AZIP Ultra Shine polish is designed with Singapore technology to leave painted surfaces and plastic with a high gloss finish, ready to be sealed. Featuring a blend of durable resins that produce unparalleled levels of gloss and nano-tech quartz technology.



Toll free : 1800 121 0630

Email : info@aziplubricants.com | Visit us: www.aziplubricants.com

PASSENGER CAR OIL

MAGNATE SUPER 5W-30



API-SN

600ML, 1L, 3L, 3.5L, 50L, 210L

AZIP Magnate Super 5W-30 oil is a common motor oil viscosity that's recommended by many auto manufacturers for use in all types of modern vehicles – BS 6 Bikes, passenger cars, SUVs & light vans including high-performance turbo-charged and supercharged engines. AZIP Formula is an advanced passenger car motor oil Specially developed for high performance luxury cars powered by petrol or diesel. The same endurance tested technology that has powered numerous winning cars in the toughest of endurance races across the globe is used in formulating this, and thus it provides exceptional protection to the engine ensuring reliable lubrication even in the most demanding conditions.

MEGNATE SUV 5W-40



API-SN

3L, 3.5L, 50L, 210L

AZIP MEGNATE SUV 5W-40 utilizes the positive properties of tungsten to smooth the surface structure of the motor, reducing friction and wear, and significantly improving mechanical efficiency. 5W-40 minimizes friction, wear and fuel consumption with excellent cold start characteristics. 5W-40 operational safety concerning all driving conditions as for example regarding extreme stop and go traffic as well as high speed drives on motorways.

Recommended for use TATA MOTOR, ISUZU, MAHINDRA & MAHINDRA, MARUTI SUZUKI, HYUNDAI, VW, SKODA, FORD, HONDA, TOYOTA etc.

MGO 20W-40



API-CF4

1L, 3L, 3.5L, 50L, 210L

AZIP MGO 20W-40 CF4 are essential for the longevity of modern engines as the oil needs to be capable of giving the best possible protection, when both hot and cold. Most modern oils are multigrades and you identify these as they will have an oil grade on the label along the lines of 20W-40.

Recommended for use MARUTI SUZUKI, HYUNDAI, TATA, ISUZU, MAHINDRA & MAHINDRA, FORCE MOTORS etc.

Toll free : 1800 121 0630

Email : info@aziplubricants.com | Visit us : www.aziplubricants.com

PASSENGER CAR OIL

CNG SPECIAL 20W-50



API-SM

1L, 2L, 3L, 20L, 50L, 210L

AZIP CNG SPECIAL are gas engine oils intended for use in light-duty vehicles running on Compressed Natural Gas (CNG), Liquefied Petroleum Gas (LPG) or propane. It is formulated from selected additives to provide superior detergency and dispersancy, oxidation and nitration resistance and protection against engine wear and corrosion.

Recommended for use

BAJAJ, TVS, MARUTI, HYUNDAI, TATA, MAHINDRA, ASHOK LEYLAND, APE etc.

GASOLINE SUPER 20W-50



API-SM

1L, 3L, 3.5L, 50L, 210L

AZIP GASOLINE SUPER 20W 50 is a premium quality engine oil developed for autos, passenger cars and minivans running on CNG/LPG/PETROL. The product is made from highly paraffinic base stocks and fortified with select additives to deliver superior performance benefits. AZIP is available in 20W50 viscometrics. The superior additive chemistry ensures protection against oxidation and nitration caused due to high temperature combustion of CNG/LPG/PETROL Fuels in Engine. Right dosage of anti-wear and balanced detergency helps to protect the engine from wear and deposits, resulting in trouble free operation for longer service intervals.



Toll free : 1800 121 0630

Email : info@aziplubricants.com | Visit us: www.aziplubricants.com

GREASE

RED GEL GREASE



NLGI-3

200G, 500G, 1KG, 2KG, 3KG, 5KG, 7KG, 10KG, 18KG, 50KG, 180KG

AZIP Red Gel Grease is a premium quality, super smooth, transparent look, and extra long life lubricating grease. It is developed from selected base oil, special lithium semi – complex thickener technology and advance additives package. It gives optimum mechanical & thermal stability that ensures best suitability for wheel bearings of passenger cars, farm equipments, off and on – highway commercial vehicles and new generation multi – axle trucks for long haul service. This product has NLGI 3 consistency.



CHASSIS GREASE



NLGI-3

18KG, 50KG, 180KG

AZIP CHASSIS GREASE is a premium quality calcium soap thickened grease produced from low volatile high viscosity index mineral oils, superior fats/fatty acids and a synergistic blend of additives and performance boosters. CHASSIS GREASE are water resistant and fortified with tackifier to provide excellent film forming characteristics. It conforms to BIS: 506-1993 specifications for automotive greases.



Toll free : 1800 121 0630

Email : info@aziplubricants.com | Visit us: www.aziplubricants.com

GREASE

AP-3 GREASE



NLGI-3

500G, 1KG, 2KG, 3KG, 5KG, 10KG, 18KG, 50KG, 180KG

AZIP AP3 GREASE is based multi-functional, water resistant multi-purpose grease. It is manufactured from high quality base stocks, superior quality and performance additives. This product is multi-purpose grease of NLGI 3 consistency.



LONG RUN GREASE



NLGI-3

500G, 1KG, 2KG, 3KG, 5KG, 7KG, 10KG, 18KG, 50KG, 180KG

AZIP Long Life Grease is a high performance lithium complex grease designed for lubrication of bearings of most automotive and industrial equipment. This grease is based on high quality mineral base fluid and superior lithium complex soap thickener fortified with excellent anti-oxidant, anti-rust and anti-wear additive systems. This grease provides long term protection to the rolling elements over a wide temperature range.



WHEEL BEARING GREASE



IS : 10647:1983

18KG, 50KG, 180KG

AZIP Wheel Bearing Grease Special is a soft fibrous grease manufactured specially for lubrication of automotive wheel bearings using high quality mineral base oil and sodium thickener. It is characterised by good oxidation stability and thermal stability which makes it highly suitable for automotive wheel bearing applications.



Toll free : 1800 121 0630

Email : info@aziplubricants.com | Visit us : www.aziplubricants.com

INDUSTRIAL OIL & GREASES

TURBOMAX 15W40 API CI4+	50L, 210L
TURBO SUPER 15W40 API CH4	50L, 210L
DIESEL SUPER 20W40 API CH4	50L, 210L
TRACTOR RAKSHAK 20W40 API CF4	50L, 210L
VISCO SUPER 20W50 API CF4	50L, 210L
PRIDE EDGE 20W40 API CF4	50L, 210L
PUMP SET OIL 20W40 API CF	50L, 210L
UTTO 20W	26L, 50L, 210L
MGO 20W40 API CF4	50L, 210L
GEAR OIL 75W90 API GL5	26L, 50L, 210L
GEAR OIL 80W90 API GL5	26L, 50L, 210L
GEAR OIL 85W140 API GL5	26L, 50L, 210L
GEAR OIL EP-90 API GL4	50L, 210L
GEAR OIL EP-140 API GL4	50L, 210L
TRANSMISSION FLUID TYPE A	50L, 210L
HYDRAULIC OIL ISO VS 32/46/68 WATER WHITE	210L
HYDRAULIC OIL 32/46/68	26L, 50L, 210L
HYDRAULIC OIL AW 150	210L
AP-3 GREASE NLGI-3	50KG, 180KG
LONG LIFE GREASE NLGI-3	50KG, 180KG
GEL GREASE NLGI-3	50KG, 180KG
EP-2 GREASE NLGI-3	50KG, 180KG
MP-3 GREASE	180KG
CHASSIS GREASE	180KG
WHEEL BEARING GREASE	180KG
BRAKE FLUID DOT-4	210L
COOLANT (RTU)	210L
HD COOLANT (1:3)	210L
CNG SPECIAL 20W50 API SM	210L
SHOCKER OIL	210L
HYDRAULIC OIL 10W	210L
COLD EDGE 68	210L
CIRCULATING 150	210L
INDUSTRIAL GEAR OIL (150/220) GL-4	210L
INDUSTRIAL GEAR OIL (320/460) GL-4	210L
GENERAL PURPOSE MACHINERY OIL	210L
HAMMER OIL	210L
HITHRUM THERMAL FLUID (500)	210L
HITHRUM THERMAL FLUID (600)	210L
RUBBER PROCESS OIL (720)	210L

Toll free : 1800 121 0630

Email : info@aziplubricants.com | Visit us: www.aziplubricants.com

THE AGRA TAJ BIKE RALLY 2023

SPONSERD BY AZIP LUBRICANTS



Toll free : 1800 121 0630

Email : info@aziplubricants.com | Visit us: www.aziplubricants.com

THE AGRA TAJ BIKE RALLY 2023

SPONSERD BY AZIP LUBRICANTS



Toll free : 1800 121 0630

Email : info@aziplubricants.com | Visit us: www.aziplubricants.com



Azip®

LUBRICANTS & GREASES

AN ISO : 9001-2015 CERTIFIED CO.



- INDIA • SINGAPORE • NEPAL • BHUTAN • BANGLADESH • SRI LANKA

A Technology From
SINGAPORE



Marketed by:

AZIP LUBRICANTS PVT. LTD.

30 Tanah Merah Kechil Road #11-02, East Meadows

SINGAPORE- 465558

Pramukh Vihar-IV, Tower-K1, **SILVASSA** (U.T.) - 396230

Toll free : 1800 121 0630

Email : info@aziplubricants.com

Visit us: www.aziplubricants.com

